6/23/2021 G70WJD-2A-T3

DOOSAN. Portable Power

G70WJD-2A-T3

Doosan Portable Power's G70 Tier-3 generator has become legendary for its reliability, user-friendly controls and ability to provide power at jobsites. Housed in a hardened enclosure, the Leroy-Somer alternator provides the G70 with best-in-class motor starting performance. With nearly 24-hours of onboard fuel, a John Deere Tier-3 engine and a small foot-print, Doosan Portable Power's G70 is one of the most versatile and reliable generators in the market.



Prime Output 73 kVA (58 kW)

Sound Level (100% Load)
68 dB(A)

Specifications

Prime Power Rating

@ 480V-3Ø, 0.8PF, 60Hz 73 kVA (58 kW), 87 Amps

@ **240V-3**Ø, **0.8PF**, **60Hz** 73 kVA (58 kW), 174 Amps

@ 208V-3Ø, 0.8PF, 60Hz 73 kVA (58 kW), 201 Amps

@ 240V-1Ø, 1.0PF, 60Hz 4 Wire 58 kVA (58 kW), 81 Amps / 45 kVA

(45 kW), 188 Amps

@ 120V-1Ø, 1.0PF, 60Hz 4 Wire 58 kVA (58 kW), 161 Amps / 45 kVA

(45 kW), 188×2 Amps

Voltage Configuration 3-Position Switch

Frequency Capability 60Hz Only

Engine

Engine Make / Model John Deere 4045TF285E

Power Output @ 1800RPM - HP (kWm) 90 (67)

6/23/2021 G70WJD-2A-T3

Emissions Tier Level Tier 3

Fuel Tank Capacity - Gal (L) 91.9 (347.9)

Runtime @ 100% Load - Hr 21

Dimensions W/ Running Gear

Length - in (mm) 155.8 (3957)

Width - in (mm) 68.7 (1745)

Height - in (mm) 82.4 (2093)

Weight (Ready to Run) - lb (kg) 5260 (2386)

Sound Level @ 23 ft (7m) and 100% Load - dB(A) 68



2021© Doosan Portable Power. All Rights Reserved